**Part Number :** 1300950179
**Product Description :** Medium Duty Wire Mesh Pulling Grip, Single/Double Weave, Bale Eye, Short Mesh Length 0.61m (24.00"), Cable Range 76.20-88.66mm (3.000-3.492"), Approximate Break Strength 11113.01kg (24500 lbs)
**Series Number :** 130095
**Status :** Active
**Product Category :** Cable Grips
**Engineering Part Number :** 35947



## Documents and Resources

### Drawings

1300950179_sd.pdf

## Product Environment Compliance

### Compliance

| | |
|---|---|
| China RoHS | Not Reviewed |
| EU ELV | Not Reviewed |
| Low-Halogen Status | Not Reviewed |
| REACH SVHC | Not Reviewed |
| EU RoHS | Not Reviewed |

Compliance Statements

- EU RoHS
- REACH SVHC
- Low-Halogen

Industry Documents

- IPC 1752A Class C
- IPC 1752A Class D
- Molex Product Compliance Declaration
- IEC-62474
- chemSHERPA (xml)

Substances of Interest

- PFAS

EU RoHS Certificate of Compliance

Additional Product Compliance Information

---

## Part Details

### General

| | |
|---|---|
| Status | Active |
| Category | Cable Grips |
| Series | 130095 |
| Description | Medium Duty Wire Mesh Pulling Grip, Single/Double Weave, Bale Eye, Short Mesh Length 0.61m (24.00"), Cable Range 76.20-88.66mm (3.000-3.492"), Approximate Break Strength 11113.01kg (24500 lbs) |
| Comments | Cable Eye Thickness 1/2" |
| Product Name | Medium Duty |
| Type | Pulling Grip |
| UPC | 78678835947 |

### Agency

| | |
|---|---|
| CSA | LR32159 |

### Physical

| | |
|---|---|
| Approximate Break Strength | 11113.01kg (24500 lbs) |
| Bale Length | N/A |
| Body Style | Straight |
| Cable Diameter | 76.20-88.65mm (3.000-3.490") |
| Color - Grommet | N/A |
| Eye Type | Flexible |
| Gender | N/A |
| Material - Body | N/A |
| Material - Grip | Galvanized Steel |
| Mesh Length | 0.61m (24.00") |
| Number of Holes | N/A |
| O-Ring | N/A |

| | |
|---|---|
| Thread Size | N/A |