
Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation ecrite du propietaire.
Propriete de c FCI. Droits de reproduction FCI.

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor.
Property of FCI. Copyright FCI.


PRODUCT NUMBER

XXXXX–XYY H PLF


- BASE PART NO.
- PIN PLATING SEE SHEET 2
- NO OF POSITIONS SEE NOTE 1
- HIGH TEMPERATURE PLASTIC SEE NOTE 1
- SPECIAL OPTIONS SEE NOTE 1 OR 10
- LEAD FREE OPTION SEE NOTE 1




TOP VIEW




SIDE VIEW



END VIEW



DETAIL P
SCALE 5:1
TYP BOTH ENDS



RECOMMENDED HOLE PATTERN

mat'l. code NOTE 2 & 3				tolerances unless otherwise specified							CUSTOMER COPY	FCI www.fciconnect.com
ltr	ecn no	dr	date		.XX±.01/.X±.3							
CN	V10177	MDF	01/26/01	linear	.XXX±.005/.XX±.13						projection	title: BERGSTIK® II HDR. D/R .100/2.54cc STRAIGHT
CP	V20801	GIP	04/29/02		.XXXX±.0020/.XXX±.051							
CR	V21675	GIP	10/22/02	angles	0°±2°						INCH/MM	product family: BERGSTIK; code: 213
CS	V21800	TAB	12/19/02	dr	T.BREWBAKER	12/21/94						size: A; dwg no: 67996; sheet: 1 of 8
CT	V03–0257	DAI	03/05/03	engr	T.HANNA	12/21/94					scale 1:1	
CU	M04–0234	MHT	12/29/04	chr	T.HANNA	12/21/94						
				appd	T.HANNA	12/21/94						

sheet index	revision	CU	CU	CU	CU	CU	CU	CU	CU
	sheet	1	2	3	4	5	6	7	8

cage code 22526

ACAD

PDM: Rev:CU

STATUS: Released

Printed: May 11, 2005

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation ecrite du propietaire.
Propriete de c FCI. Droits de reproduction FCI.

PIN PLATING CODES:		
XXXXX–1YY	30u"/0.76u MIN (SEE NOTE 14) OVER 50u"/1.27u MIN Ni	
XXXXX–2YY	15u"/0.38u MIN (SEE NOTE 14) OVER 50u"/1.27u MIN Ni	
XXXXX–3YY	50u"/1.27u MIN Au OVER 50u"/1.27u MIN Ni	
XXXXX–4YY	TIN LEAD OPTION	120u"/3.05u MIN 93/7 SnPb OVER 50u"/1.27u MIN Ni
	LF OPTION	100u"/2.54u MIN Sn OVER 50u"/1.27u MIN Ni (SEE NOTE 1,15)
XXXXX–5YY	15u"/0.38u MIN (SEE NOTE 14) OVER 50u"/1.27u MIN Ni	
XXXXX–6YY	30u"/0.76u MIN (SEE NOTE 14) OVER 50u"/1.27u MIN Ni	
XXXXX–7YY	15u"/0.38u MIN Au OVER 50u"/1.27u MIN Ni	
XXXXX–8YY	30u"/0.76u MIN Au OVER 50u"/1.27u MIN Ni	

NOTES

(1.) PART NUMBER OPTIONS:

PIN PLATING CODES (SEE ABOVE)

HIGH TEMPERATURE MATERIAL:

FOR HIGH–TEMPERATURE APPLICATIONS, SPECIFY AN "H" AT THE END OF THE PART NUMBER, AND PCT WILL BE SUPPLIED.

NUMBER OF POSITIONS :

EVEN NUMBER OF POSITIONS FROM 2 (2X1) THROUGH 72 (2X36).
–X00H INDICATES BERGSTRIP PRODUCT. SEE PAGE 3
FOR SPECIAL GEOMETRY OF THIS CONTINUOUS STRIP PRODUCT.
AUTOMATED REELS WILL CONTAIN 45,000 PINS.
SEE SPECIFIC PART NUMBERS FOR AVAILABILITY.

PACKAGING:

PACKAGED IN POLY BAGS.
EIGHT DIGIT PART NUMBERS FOLLOWED BY A "T" ARE PACKAGED IN TUBES. SEE SPECIFIC PART NUMBERS FOR AVAILABILITY.
EIGHT DIGIT PART NUMBERS FOLLOWED BY A "G" ARE PACKAGED IN GPAX FOR IBM ONLY. SEE SPECIFIC PART NUMBERS FOR AVAILABILITY.

PART NUMBERS FOLLOWED BY A "C" ARE PACKAGED IN TUBES WITH A PICKUP CAP APPLIED.

LEAD FREE:

ADD LF SUFFIX AT THE END OF PART NUMBER FOR LEAD FREE OPTION, NOT AVAILABLE FOR –5YY,–5YYH, –6YY & –6YYH

(2.) BODY MATERIAL:

BODY MATERIAL : MANUFACTURER'S OPTION OF NYLON OR PCT, GLASS FIBER REINFORCED, FLAME RETARDENT PER UL–94V–0.
COLOR: BLACK

BERGSTRIP™ PRODUCED WITH HIGH TEMPERATURE LCP THERMOPLASTIC, FLAME RETARDENT PER UL–94V–0.
COLOR: BLACK

PART NUMBERS WITH "H" SUFFIX WILL WITHSTAND EXPOSURE TO 260° C PEAK TEMPERATURE FOR 20 SECONDS IN WAVE SOLDER, INFRA–RED OR VAPOR PHASE SOLDER PROCESS.

PART NUMBERS WITHOUT "H" SUFFIX WILL WITHSTAND EXPOSURE TO 260° C PEAK TEMPERATURE FOR WAVE SOLDER PROCESS.

(3.) PIN MATERIAL: PHOS BRONZE.

(4.) MEASURED WITH PART IN RESTRAINED CONDITION.

5. TWO SIDES OF PIN TIPS NOT PLATED. TYPICAL BOTH ENDS.

(6.) 2LBS/0.9KG MIN PIN RETENTION IN EITHER DIRECTION.

7. MILITARY BERGSTIK HEADER
P/N XXXXX–XYY–MIL
NOT AVAILABLE.

(8.) ±.010/0.25 TOL APPLIES TO ALL "G" TAILS EXCEPT INDICATED PARTS ON TABLE WHERE +.010/0.25 –.000/0.00 APPLIES.

(9.) NOTCH CONFIGURATION WILL VARY PER VENDOR'S DISCRETION.

(10) BERGSTRIP™ PART NUMBERS FOLLOWED BY BY A "B" ARE BULK PRICED.

(11) TAIL LENGTH (DIM. G) TO BE ±.008/.0.20.

12. POSITIONS PER ROW 37 TO 50 CAN BE PRODUCED, BUT FLATNESS AND CURVATURE MAY NOT BE HELD AS CLOSE AS 36 POSITIONS.

(13) THESE PRODUCTS MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATION AS DESCRIBED IN GS–22–008.

(14.) PLATING OPTIONS:
MAY BE EITHER GOLD OR GXT PLATED AT MANUFACTURER'S OPTION.

(15.) "THIS PRODUCT HAS 100% TIN PLATING IN THE INTERFACE AND HAS NOT BEEN TESTED FOR WHISKER GROWTH IN ALL INTERCONNECT ENVIRONMENTS."

mat'l. code NOTE 2 & 3				tolerances unless otherwise specified			CUSTOMER COPY	FCI www.fciconnect.com
ltr	ecn no	dr	date	linear	.XX±.01/.X±.3			
CU					.XXX±.005/.XX±.13		projection	title BERGSTIK® II HDR. D/R .100/2.54cc STRAIGHT
					.XXXX±.0020/.XXX±.051			
				angles	0°±2°			
				dr	T.BREWBAKER	12/21/94	INCH/MM	product family BERGSTIK / code 213
				engr	T.HANNA	12/21/94		size A / dwg no 67996 / sheet 2 of 8
				chr	T.HANNA	12/21/94	scale 1:1	
				appd	T.HANNA	12/21/94		
sheet index	revision sheet							

cage code 22526

ACAD

PDM: Rev:CU

STATUS: Released

Printed: May 11, 2005


All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor.
Property of FCI. Copyright FCI.

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation ecrite du proprietaire. Propriete de c FCI. Droits de reproduction FCI.


All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.


REEL PACKING DIMENSIONS

BERGSTRIP™ HEADER




DOUBLE ROW TOP VIEW





DOUBLE ROW
SIDE VIEW



END VIEW
DOUBLE ROW

mat'l. code NOTE 2 & 3				tolerances unless otherwise specified	CUSTOMER COPY	FCI www.fciconnect.com
ltr	ecn no	dr	date	linear .XX±.01/.X±.3	projection	title BERGSTIK®II HDR. D/R .100/2.54cc STRAIGHT
CU				.XXX±.005/.XX±.13		
				.XXXX±.0020/.XXX±.051		
				angles 0°±2°		
				dr T.BREWBAKER 12/21/94	INCH/MM	product family BERGSTIK; code 213
				engr T.HANNA 12/21/94		size A; dwg no 67996
				chr T.HANNA 12/21/94	scale 1:1	sheet 3 of 8
				appd T.HANNA 12/21/94		
sheet index	revision sheet					

cage code 22526

ACAD

PDM: Rev:CU STATUS: Released Printed: May 11, 2005

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation ecrite du proprietaire. Propriete de c FCI. Droits de reproduction FCI.
All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor. Property of FCI. Copyright FCI.

PRODUCT NUMBER	TOT. PIN LGTH.		TAIL LENGTH		MATING LENGTH				BERGSTRIP™	LF
	DIM F	DIM F	DIM G	DIM G	DIM H	DIM H	PACKAGING	NOTES	AVAILABLE	OPTION
	ENGLISH	METRIC	ENGLISH	METRIC	ENGLISH	METRIC				
55005-XYYH	0.597	15.16	0.095	2.41	0.402	10.21	POLY BAGS	–	YES	NOTE 1,13
55030-XYYH	0.630	16.00	0.150	3.81	0.380	9.65	POLY BAGS	–	YES	
67996-XYY	0.425	10.80	0.095	2.41	0.230	5.84	POLY BAGS/TUBES	–	YES	
67997-XYY	0.450	11.43	0.120	3.05	0.230	5.84	POLY BAGS/TUBES	–	YES	
67997-XYYH	0.450	11.43	0.120	3.05	0.230	5.84	POLY BAGS/TUBES	–	YES	
67998-XYY	0.525	13.34	0.107	2.72	0.318	8.08	POLY BAGS/TUBES	–	YES	
67999-XYY	0.548	13.92	0.130	3.30	0.318	8.08	POLY BAGS	–	NO	
68438-XYY	0.555	14.10	0.225	5.72	0.230	5.84	POLY BAGS/TUBES	–	NO	
68439-XYY	0.720	18.29	0.120	3.05	0.500	12.70	POLY BAGS	–	NO	
68464-XYY	0.650	16.51	0.120	3.05	0.430	10.92	POLY BAGS/TUBES	–	NO	
68481-XYY	0.480	12.19	0.095	2.41	0.285	7.24	POLY BAGS/TUBES	–	NO	
68482-XYY	0.938	23.83	0.318	8.08	0.520	13.21	POLY BAGS	–	NO	
68491-XYY	0.475	12.07	0.120	3.05	0.255	6.48	POLY BAGS/TUBES	–	NO	
68600-XYY	0.825	20.96	0.115	2.92	0.610	15.49	POLY BAGS	–	NO	
68601-XYY	0.620	15.75	0.120	3.05	0.400	10.16	POLY BAGS	–	NO	
68602-XYY	0.480	12.19	0.150	3.81	0.230	5.84	POLY BAGS	–	NO	
68690-XYY	0.533	13.54	0.115	2.92	0.318	8.08	POLY BAGS	–	NO	
68691-XYY	0.538	13.67	0.120	3.05	0.318	8.08	POLY BAGS	–	YES	
68692-XYY	0.430	10.92	0.100	2.54	0.230	5.84	POLY BAGS	–	NO	
68693-XYY	0.938	23.83	0.520	13.21	0.318	8.08	POLY BAGS	–	NO	
68716-XYY	0.828	21.03	0.410	10.41	0.318	8.08	POLY BAGS	–	NO	
68734-XYY	0.615	15.62	0.230	5.84	0.285	7.24	POLY BAGS	–	NO	
68737-XYY	0.440	11.18	0.110	2.79	0.230	5.84	POLY BAGS	–	YES	
68738-XYY	0.615	15.62	0.115	2.92	0.400	10.16	POLY BAGS	–	NO	
68739-XYY	0.486	12.34	0.156	3.96	0.230	5.84	POLY BAGS	–	NO	
68743-XYY	0.638	16.21	0.220	5.59	0.318	8.08	POLY BAGS	–	NO	
68749-XYY	0.838	21.29	0.420	10.67	0.318	8.08	POLY BAGS	–	NO	
68779-XYY	0.736	18.69	0.318	8.08	0.318	8.08	POLY BAGS	–	NO	
68783-XYY	0.375	9.53	0.045	1.14	0.230	5.84	POLY BAGS	–	NO	
68799-XYY	0.925	23.50	0.595	15.11	0.230	5.84	POLY BAGS	–	NO	NOTE 1,13

mat'l. code NOTE 2 & 3

ltr	ecn no	dr	date
CU			

tolerances unless otherwise specified
linear .XX±.01/.X±.3
.XXX±.005/.XX±.13
.XXXX±.0020/.XXX±.051
angles 0°±2°

dr	T.BREWBAKER	12/21/94
engr	T.HANNA	12/21/94
chr	T.HANNA	12/21/94
appd	T.HANNA	12/21/94

CUSTOMER COPY
projection
INCH/MM
scale 1:1

FCI www.fciconnect.com
title BERGSTIK® II HDR. D/R .100/2.54cc STRAIGHT
product family BERGSTIK
code 213
size A dwg no 67996
sheet 4 of 8
sheet index revision sheet
cage code 22526

ACAD PDM: Rev:CU STATUS: Released Printed: May 11, 2005

PRODUCT NUMBER	TOT. PIN LGTH.		TAIL LENGTH		MATING LENGTH				BERGSTRIP™	LF
	DIM F	DIM F	DIM G	DIM G	DIM H	DIM H	PACKAGING	NOTES	AVAILABLE	OPTION
	ENGLISH	METRIC	ENGLISH	METRIC	ENGLISH	METRIC				
69132-XYY	0.760	19.30	0.120	3.05	0.540	13.72	POLY BAGS/TUBES	–	NO	NOTE 1,13
69133-XYY	0.615	15.62	0.285	7.24	0.230	5.84	POLY BAGS	–	NO	
69157-XYY	0.410	10.41	0.110	2.79	0.200	5.08	POLY BAGS	–	NO	
71217-XYYH	1.000	25.40	0.450	11.43	0.450	11.43	POLY BAGS	–	NO	
71222-XYYH	0.850	21.59	0.250	6.35	0.500	12.70	POLY BAGS	–	NO	
72273-XYYH	0.725	18.42	0.110	2.79	0.515	13.08	POLY BAGS	–	NO	
72448-XYYH	0.658	16.71	0.172	4.37	0.386	9.80	POLY BAGS	–	NO	
72455-XYYH	0.598	15.19	0.180	4.57	0.318	8.08	POLY BAGS	–	NO	
72455-632HG	0.598	15.19	0.180	4.57	0.318	8.08	GPAX	NOTE 1	NO	
73503-XYYH	0.420	10.67	0.120	3.05	0.200	5.08	POLY BAGS	–	NO	
73596-XYYH	0.795	20.19	0.110	2.79	0.585	14.86	POLY BAGS	–	NO	
74317-XYYH	0.532	13.51	0.309	7.85	0.123	3.12	POLY BAGS	NOTE 11	NO	
74318-XYYH	0.592	15.04	0.369	9.37	0.123	3.12	POLY BAGS	NOTE 11	NO	
74999-XYYH	0.508	12.90	0.090	2.29	0.318	8.08	POLY BAGS	–	NO	
78212-XYY	0.710	18.03	0.350	8.89	0.260	6.60	POLY BAGS	–	NO	
78233-XYY	0.568	14.43	0.150	3.81	0.318	8.08	POLY BAGS	–	NO	
78269-XYY	0.385	9.78	0.095	2.41	0.190	4.83	POLY BAGS	–	NO	
78286-XYY	0.500	12.70	0.160	4.06	0.240	6.10	POLY BAGS/TUBES	–	NO	
78932-XYY	UNAVAILABLE		UNAVAILABLE		UNAVAILABLE			–	–	
78933-XYY	0.695	17.65	0.285	7.24	0.310	7.87	POLY BAGS	–	NO	
78988-XYY	0.540	13.72	0.135	3.43	0.305	7.75	POLY BAGS	–	NO	
78989-XYY	UNAVAILABLE		UNAVAILABLE		UNAVAILABLE			–	–	
78990-XYY	UNAVAILABLE		UNAVAILABLE		UNAVAILABLE			–	–	
78991-XYY	UNAVAILABLE		UNAVAILABLE		UNAVAILABLE			–	–	
78992-XYY	UNAVAILABLE		UNAVAILABLE		UNAVAILABLE			–	–	
78993-XYY	UNAVAILABLE		UNAVAILABLE		UNAVAILABLE			–	–	
78994-XYY	UNAVAILABLE		UNAVAILABLE		UNAVAILABLE			–	–	NOTE 1,13

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation ecrite du propietaire.
Propriete de c FCI. Droits de reproduction FCI.

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor.
Property of FCI. Copyright FCI.

mat'l. code NOTE 2 & 3				tolerances unless otherwise specified			CUSTOMER COPY	FCI www.fciconnect.com
ltr	ecn no	dr	date	linear	.XX ±.01/0.3			
CU					.XXX ±.005/0.13		projection	title BERGSTIK®II HDR. D/R .100/2.54cc STRAIGHT
					.XXXX ±.0020/0.051			
				angles	0° ±2°		INCH/MM	product family BERGSTIK / code 213
				dr	T.BREWBAKER	12/21/94		size A / dwg no 67996 / sheet 5 of 8
				engr	T.HANNA	12/21/94		
				chr	T.HANNA	12/21/94	scale 1:1	
				appd	T.HANNA	12/21/94		
sheet index	revision sheet							cage code 22526

ACAD

PDM: Rev:CU

STATUS: Released

Printed: May 11, 2005

PRODUCT NUMBER	TOT. PIN LGTH.		TAIL LENGTH		MATING LENGTH		PACKAGING	NOTES	BERGSTRIP™ AVAILABLE	LF OPTION
	DIM F	DIM F	DIM G	DIM G	DIM H	DIM H				
	ENGLISH	METRIC	ENGLISH	METRIC	ENGLISH	METRIC				
78995-XYY	UNAVAILABLE		UNAVAILABLE		UNAVAILABLE			–	–	NOTE 1,13
78996-XYY	UNAVAILABLE		UNAVAILABLE		UNAVAILABLE			–	–	
79242-XYY	0.930	23.62	0.340	8.64	0.490	12.45	POLY BAGS	–	NO	
79243-XYY	1.230	31.24	0.390	9.91	0.740	18.80	POLY BAGS	–	NO	
79244-XYY	UNAVAILABLE		UNAVAILABLE		UNAVAILABLE			–	–	
79268-XYY	1.020	25.91	0.120	3.05	0.800	20.32	POLY BAGS	–	NO	
79271-XYY	1.100	27.94	0.500	12.70	0.500	12.70	POLY BAGS	–	NO	
79425-XYY	0.410	10.41	0.120	3.05	0.190	4.83	POLY BAGS	–	NO	
79821-XYY	0.730	18.54	0.200	5.08	0.430	10.92	POLY BAGS	–	NO	
84610-XYYH	0.380	9.65	0.120	3.05	0.160	4.06	POLY BAGS	–	NO	
84760-XYYH	0.870	22.09	0.150	3.81	0.620	15.74	POLY BAGS	–	NO	
84784-XYYH	1.130	28.70	0.122	3.09	0.908	23.06	POLY BAGS	–	NO	
84934-XYYH	1.375	34.93	0.625	15.88	0.650	16.51	POLY BAGS	–	NO	
84976-XYYH	0.730	18.54	0.400	10.16	0.230	5.84	POLY BAGS	–	NO	
86503-XYY	0.470	11.94	0.120	3.05	0.250	6.35	POLY BAGS	–	NO	
86581-XYY	0.450	11.43	0.120	3.05	0.230	5.84	POLY BAGS	NOTE 8	NO	
86817-XYY	0.925	23.50	0.120	3.05	0.705	17.91	POLY BAGS	–	NO	
86827-XYY	0.700	17.78	0.120	3.05	0.480	12.19	POLY BAGS	–	NO	
86832-XYY	0.525	13.34	0.100	2.54	0.325	8.26	POLY BAGS	–	NO	
86834-XYY	1.335	33.91	0.585	14.86	0.650	16.51	POLY BAGS	–	NO	
86836-XYY	0.870	22.10	0.120	3.05	0.650	16.51	POLY BAGS	–	NO	
86837-XYY	0.600	15.24	0.120	3.05	0.380	9.65	POLY BAGS	–	NO	
87037-XYY	1.240	31.50	0.120	3.05	1.020	25.91	POLY BAGS	–	NO	
87052-XYY	0.990	25.15	0.120	3.05	0.770	19.56	POLY BAGS	–	NO	
87203-XYY	0.545	13.84	0.150	3.81	0.295	7.49	POLY BAGS	–	NO	
87344-XYY	1.375	34.93	0.219	5.56	1.056	26.82	POLY BAGS	–	NO	NOTE 1,13

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation ecrite du proprietaire.
Propriete de c FCI. Droits de reproduction FCI.

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor.
Property of FCI. Copyright FCI.

mat'l. code NOTE 2 & 3				tolerances unless otherwise specified			CUSTOMER COPY	FCI www.fciconnect.com
ltr	ecn no	dr	date	linear	.XX ±.01/0.3			
CU					.XXX ±.005/0.13		projection	title BERGSTIK®II HDR. D/R .100/2.54cc STRAIGHT
					.XXXX ±.0020/0.051			
				angles	0° ±2°			
				dr	T.BREWBAKER	12/21/94	INCH/MM	product family BERGSTIK / code 213
				engr	T.HANNA	12/21/94		size A / dwg no 67996 / sheet 6 of 8
				chr	T.HANNA	12/21/94	scale 1:1	
				appd	T.HANNA	12/21/94		
sheet index	revision sheet							

cage code 22526

ACAD

PDM: Rev:CU

STATUS: Released

Printed: May 11, 2005

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation ecrite du propietaire.
Propriete de c FCI. Droits de reproduction FCI.

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor.
Property of FCI. Copyright FCI.

PRODUCT NUMBER	TOT. PIN LGTH.		TAIL LENGTH		MATING LENGTH				BERGSTRIP™	LF OPTION
	DIM F	DIM F	DIM G	DIM G	DIM H	DIM H	PACKAGING	NOTES	AVAILABLE	
	ENGLISH	METRIC	ENGLISH	METRIC	ENGLISH	METRIC				
87345-XYY	1.218	30.94	0.406	10.31	0.712	18.08	POLY BAGS	–	NO	NOTE 1,13
87348-XYY	0.930	23.62	0.100	2.54	0.730	18.54	POLY BAGS	–	NO	
87349-XYY	0.890	22.61	0.110	2.79	0.680	17.27	POLY BAGS	–	NO	
87381-XYY	0.645	16.38	0.100	2.54	0.445	11.30	POLY BAGS	–	NO	
87382-XYY	0.675	17.15	0.100	2.54	0.475	12.07	POLY BAGS	–	NO	
87503-XYYH	0.630	16.00	0.110	2.79	0.420	10.67	POLY BAGS	–	NO	
87869-XYY	0.690	17.53	0.230	5.84	0.360	9.14	POLY BAGS	–	NO	
87894-XYY	0.588	14.94	0.170	4.32	0.318	8.08	POLY BAGS	–	NO	
87900-XYY	0.940	23.88	0.120	3.05	0.720	18.29	POLY BAGS	–	NO	
87901-XYY	1.040	26.42	0.120	3.05	0.820	20.83	POLY BAGS	–	NO	
87903-XYY	0.963	24.46	0.337	8.56	0.526	13.36	POLY BAGS	–	NO	
88797-XYY	0.950	24.13	0.320	8.13	0.530	13.46	POLY BAGS	–	NO	
88812-XYY	0.415	10.54	0.085	2.16	0.230	5.84	POLY BAGS/TUBES	NOTE 8	NO	
88886-XYY	1.306	33.17	0.276	7.01	0.930	23.62	POLY BAGS	–	NO	
89446-XYY	0.930	23.62	0.120	3.05	0.710	18.03	POLY BAGS	–	NO	
89540-XYY	0.760	19.30	0.280	7.11	0.380	9.65	POLY BAGS	–	NO	
89542-XYY	1.065	27.05	0.125	3.18	0.840	21.34	POLY BAGS	–	NO	
89639-XYY	1.260	32.00	0.118	3.00	1.042	26.47	POLY BAGS	–	NO	
91828-XYY	0.450	11.43	0.120	3.05	0.230	5.84	TUBES	–	NO	
92417-XYY	0.530	13.46	0.110	2.79	0.320	8.13	POLY BAGS	–	NO	
93216-XYYH	0.573	14.55	0.155	3.94	0.318	8.08	POLY BAGS/TUBES	–	NO	
93216-632HG	0.573	14.55	0.155	3.94	0.318	8.08	GPAX	NOTE 1	NO	
93217-XYYH	0.395	10.03	0.095	2.41	0.200	5.08	POLY BAGS	–	NO	
93254-XYY	0.563	14.30	0.110	2.79	0.353	8.97	POLY BAGS	–	NO	NOTE 1,13

mat'l. code NOTE 2 & 3				tolerances unless otherwise specified			CUSTOMER COPY	FCI www.fciconnect.com
ltr	ecn no	dr	date	linear	.XX ±.01/0.3			
CU					.XXX ±.005/0.13		projection	title BERGSTIK® II HDR. D/R .100/2.54cc STRAIGHT
					.XXXX ±.0020/0.051			
				angles	0° ±2°			
				dr	T.BREWBAKER	12/21/94	INCH/MM	product family BERGSTIK / code 213
				engr	T.HANNA	12/21/94		size A / dwg no 67996 / sheet 7 of 8
				chr	T.HANNA	12/21/94	scale 1:1	
				appd	T.HANNA	12/21/94		
sheet index	revision sheet							

cage code 22526

ACAD

PDM: Rev:CU

STATUS: Released

Printed: May 11, 2005

PRODUCT NUMBER	TOT. PIN LGTH.		TAIL LENGTH		MATING LENGTH				BERGSTRIP™	LF OPTION
	DIM F	DIM F	DIM G	DIM G	DIM H	DIM H	PACKAGING	NOTES	AVAILABLE	
	ENGLISH	METRIC	ENGLISH	METRIC	ENGLISH	METRIC				
94010-XYYH	0.756	19.20	0.350	8.89	0.306	7.77	POLY BAGS	–	NO	NOTE 1,13
94532-XYYH	1.250	31.75	0.450	11.43	0.700	17.78	POLY BAGS	–	NO	
95105-XYY	0.370	9.40	0.126	3.20	0.144	3.66	POLY BAGS	–	NO	
95645-XYYH	0.350	8.89	0.100	2.54	0.150	3.81	POLY BAGS	–	NO	
95652-XYYH	0.500	12.70	0.070	1.78	0.330	8.38	POLY BAGS	–	NO	
95665-XYYH	0.835	21.21	0.335	8.51	0.400	10.16	POLY BAGS	–	NO	
95687-XYYH	0.820	20.83	0.360	9.14	0.360	9.14	POLY BAGS	–	NO	
95712-XYYH	1.090	27.69	0.110	2.79	0.880	22.35	POLY BAGS	–	NO	
95727-XYYH	0.825	20.96	0.110	2.79	0.615	15.62	POLY BAGS	–	NO	
98181-XYYH	0.760	19.30	0.218	5.54	0.442	11.23	POLY BAGS	–	NO	
98217-XYYH	0.756	19.20	0.328	8.33	0.328	8.33	POLY BAGS	–	NO	
98329-XYYH	0.930	23.62	0.415	10.54	0.415	10.54	POLY BAGS	–	NO	
98854-XYYH	0.450	11.43	0.120	3.05	0.230	5.84	TUBES	–	NO	
10017852-XYYH	0.450	11.43	0.125	3.18	0.225	5.72	POLYBAGS	–	NO	NOTE 1,13

Tous droits strictement reserves. Reproduction ou communication a des tiers interdite sous quelque forme que ce soit sans autorisation ecrite du propietaire.
Propriete de c FCI. Droits de reproduction FCI.

All rights strictly reserved. Reproduction or issue to third parties in any form whatever is not permitted without written authority from the proprietor.
Property of FCI. Copyright FCI.

mat'l. code NOTE 2 & 3		tolerances unless otherwise specified	CUSTOMER COPY
ltr	ecn no	dr	date			
CU				linear	.XX ±.01/0.3	
					.XXX ±.005/0.13	
					.XXXX ±.0020/0.051	
				angles	0° ±2°	
				dr	T.BREWBAKER	12/21/94
				engr	T.HANNA	12/21/94
				chr	T.HANNA	12/21/94
				appd	T.HANNA	12/21/94
sheet index	revision sheet					

projection

INCH/MM

scale 1:1

FCI www.fciconnect.com

title: BERGSTIK ® II HDR. D/R .100/2.54cc STRAIGHT

product family: BERGSTIK

code: 213

size: A

dwg no: 67996

sheet: 8 of 8

cage code: 22526

ACAD

PDM: Rev:CU

STATUS: Released

Printed: May 11, 2005