
MATERIALS AND FINISHES


BODY ZINC ALLOY
PLATED TIN


CENTER CONTACT BRASS
PLATED GOLD


INSULATOR TEFLON


SHROUD NYLON 46 40%G.F.














RECOMMENDED PCB LAYOUT

ADDED PCB LAYOUT TOLERANCE RF13-E029
EC NO: URF2013-0152 2012/09/10
DRWN:ELI IN
CH'KD:
APPR:MHUANG 2012/10/04
DESCRIPTION
REV
A2

QUALITY SYMBOLS
▼=0
▽C=0


GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± ---
2 PLACES	± 0.13	± ---
1 PLACE	± 0.25	± ---
ANGULAR ± 2 °		


DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE	MM/IN
SCALE	5:1
DESIGN UNITS	METRIC
	THIRD ANGLE PROJECTION
DRAWN BY	EVITA
DATE	2005/10/24
CHECKED BY	PENNY
DATE	2005/10/24
APPROVED BY	MHUANG
DATE	2010/03/26
MATERIAL NO.	SEE SHEET 2
TITLE	SMB FAKRA MOUNT JACK 50 OHMS PCB FAKRA-J/PCB
	MOLEX INCORPORATED
DOCUMENT NO.	SD-73396-046
SHEET NO.	1 OF 3
SIZE	C


THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION




CODE - A




CODE - B




CODE - C




CODE - D




CODE - E




CODE - F




CODE - G




CODE - H



CODE - I



CODE - K



CODE - Z

KEYING CODE	COLOR	PART NO.
Z	WATER BLUE	73396-0470
K	CURRY YELLOW	73396-0469
I	BEIGE	73396-0468
H	VIOLET	73396-0467
G	GRAY	73396-0466
F	BROWN	73396-0465
E	GREEN	73396-0464
D	BORDEAUXVIOLET	73396-0463
C	BLUE	73396-0462
B	CREAM WHITE	73396-0461
A	BLACK	73396-0460

UNLESS OTHERWISE SPECIFIED DIMS
ARE MILLIMETERS AND ANGLES ARE DEGREES.

- 1.60 ALL OVER.
- NO CHATTER OR NON-UNIFORM SURFACE FINISH ALLOWED.
- PARTS TO BE FREE OF BURRS & SHARP EDGES 0.13(.005) MAX BREAK.
- EXTERNAL THREADS TO BE ROLLED OR SINGLE POINT.
- DIAMETERS TO BE CONCENTRIC WITHIN 0.08(.003) TIR.

SEE SHEET 1
EC NO: URF2013-0152 2012/09/10
DRWN:ELIN
CH'KD:
APPR:MHUANG 2012/10/04
DESCRIPTION
REV
A2

QUALITY SYMBOLS
▼=0
▽C=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± ---
2 PLACES	± 0.13	± ---
1 PLACE	± 0.25	± ---
ANGULAR ± 2 °		


DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE: MM/IN
SCALE: 3:1
DESIGN UNITS: METRIC
THIRD ANGLE PROJECTION


DRAWN BY: EVITA DATE: 2005/10/24
CHECKED BY: PENNY DATE: 2005/10/24
APPROVED BY: MHUANG DATE: 2010/03/26
MATERIAL NO.: SEE TABLE

TITLE: SMB FAKRA MOUNT JACK 50 OHMS PCB FAKRA-J/PCB
MOLEX INCORPORATED
DOCUMENT NO.: SD-73396-046
SHEET NO.: 2 OF 3
SIZE: C


THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION




PART NO. 73396-046*



40 SET PER TYAY
TRAY P/N: 89707-0169



HDPE BAG



480 SET PER OUTER
CARTON BOX
P/N: 89499-9027

SEE SHEET 1
EC NO: URF2013-0152 2012/09/10
DRWN:ELIN
CHKD:
APPR:MHUANG 2012/10/04
DESCRIPTION
REV
A2

QUALITY SYMBOLS
▼=0
Ⓒ=0

GENERAL TOLERANCES (UNLESS SPECIFIED)

	mm	INCH
4 PLACES	± ---	± ---
3 PLACES	± ---	± ---
2 PLACES	± 0.13	± ---
1 PLACE	± 0.25	± ---
ANGULAR ± 2 °		

DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS

DIMENSION STYLE: MM/IN
SCALE: 2:1
DESIGN UNITS: METRIC
THIRD ANGLE PROJECTION

		DATE
DRAWN BY	EVITA	2005/10/24
CHECKED BY	PENNY	2005/10/24
APPROVED BY	MHUANG	2010/03/26

TITLE: SMB FAKRA MOUNT JACK 50 OHMS PCB FAKRA-J/PCB

MOLEX INCORPORATED

MATERIAL NO.: SEE SHEET 2
DOCUMENT NO.: SD-73396-046
SHEET NO.: 3 OF 3
SIZE: C

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION