
# CB 750/7,5 NC

**Weidmüller Interface GmbH & Co. KG**
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com



CB cable ties for the fastening of cables and markers.

- They are particularly suitable for fastening CLI M, SFX, WKM and WKS cable markers
- IEC 62275: 2006-conformant
- Fracture-resistant polyamide PA 6.6 with flammability rating V2 to UL-94

## General ordering data

| | |
|---|---|
| Version | Cable ties, 7.5 x 750 mm, Polyamide 66, 540 N |
| Order No. | 1720680000 |
| Type | CB 750/7,5 NC |
| GTIN (EAN) | 4008190362362 |
| Qty. | 100 pc(s). |

# CB 750/7,5 NC

**Weidmüller Interface GmbH & Co. KG**
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

## Technical data

### Dimensions and weights

| | | | |
|---|---|---|---|
| Depth | 1.3 mm | Depth (inches) | 0.051 inch |
| Height | 750 mm | Height (inches) | 29.528 inch |
| Width | 7.5 mm | Width (inches) | 0.295 inch |
| Net weight | 10 g | | |

### Temperatures

| | |
|---|---|
| Operating temperature range | -40...85 °C |

### Installation materials

| | | | |
|---|---|---|---|
| Bundle diameter, max. | 220 mm | Bundle diameter, min. | 35 mm |
| Cable diameter, max. | 220 mm | For re-opening | No |
| Halogen | No | Material | Polyamide 66 |
| Operating temperature range, max. | 85 °C | Operating temperature range, min. | -40 °C |
| Tensile strength | 540 N | Tensile strength (Pound-force) | 121 lbf |
| UL 94 flammability rating | V-2 | UV-resistant | No |

### Classifications

| | | | |
|---|---|---|---|
| ETIM 6.0 | EC000046 | ETIM 7.0 | EC000046 |
| ETIM 8.0 | EC000046 | ETIM 9.0 | EC000046 |
| ECLASS 9.0 | 27-14-07-02 | ECLASS 9.1 | 27-14-07-02 |
| ECLASS 10.0 | 27-14-07-02 | ECLASS 11.0 | 27-14-07-02 |
| ECLASS 12.0 | 27-14-07-02 | ECLASS 13.0 | 27-14-07-02 |

### Approvals

Approvals

| | |
|---|---|
| ROHS | Conform |
| UL File Number Search | UL Website |
| Certificate No. (UR) | E317499 |

### Downloads

| | |
|---|---|
| Approval/Certificate/Document of Conformity | DE PI830000 160627 001 |
| Catalogues | Catalogues in PDF-format |

# CB 750/7,5 NC

**Weidmüller Interface GmbH & Co. KG**
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

## Drawings

