QVAR 1

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Product image



The cross-connection adapters are used to connect different positions of the cross-connection channels of modular terminal blocks. In this way, terminal blocks from different designs and functional ranges can be cross-connected with each other.

General ordering data

Version	I-Series, Accessories, cover plate, dark beige, 40 mm
Order No.	1836370000
Type	QVAR 1
GTIN (EAN)	4032248380510
Qty.	25 pc(s).

QVAR 1

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Technical data

Dimensions and weights

Depth	6.1 mm	Depth (inches)	0.24 inch
Height	99 mm	Height (inches)	3.898 inch
Width	40 mm	Width (inches)	1.575 inch
Net weight	10.6 g		

Temperatures

Continuous operating temp., min.	-50 °C	Continuous operating temp., max.	120 °C

Material data

Material	Wemid	Colour	dark beige
UL 94 flammability rating	V-0		

System specifications

Version	for cross-connection link	Rail	TS 35

Additional technical data

Explosion-tested version	No	Type of fixing	Plugged

Cross-connector

Number of cross-connected terminals	2	Rated current, multi-pole	24 A
Type	Cross-connector		

Dimensions

Pitch in mm (P)	6.1 mm

General

Number of poles	2	Rail	TS 35

Rating data

Rated current	24 A

Classifications

ETIM 6.0	EC002848	ETIM 7.0	EC002848
ETIM 8.0	EC002848	ETIM 9.0	EC002848
ECLASS 9.0	27-14-11-92	ECLASS 9.1	27-14-11-92
ECLASS 10.0	27-14-11-92	ECLASS 11.0	27-14-11-92
ECLASS 12.0	27-14-11-92	ECLASS 13.0	27-25-03-90

Approvals

ROHS	Conform

QVAR 1

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany

www.weidmueller.com

Technical data

Downloads

Approval/Certificate/Document of Conformity	Confirmation of Standards EN 45545-2_2020-10
Engineering Data	CAD data – STEP
Engineering Data	Zuken E3.S
User Documentation	StorageConditionsTerminalBlocks
Catalogues	Catalogues in PDF-format